

FILIP'YEV, V.S.; SMOLYANINOV, N.P.; FESENKO, Ye.G.; BELYAYEV, I.N.

Preparation of  $\text{BiFeO}_3$  and determination of its unit cell.  
Kristallografiia 5 no. 6:958-959 N-D '60. (MIRA 13:12)

1. Rostovskiy-na-Donu gosudarstvennyy universitet.  
(Bismuth ferrate)

37172

S/078/62/007/005/012/014  
B101/B110

18.9200

AUTHORS: Belyayev, I. N., Smolyaninov, N. P.

TITLE: The ternary system  $\text{Bi}_2\text{O}_3$  -  $\text{MoO}_3$  -  $\text{PbO}$

PERIODICAL: Zhurnal neorganicheskoy khimii, v. 7, no. 5, 1962, 1126 -1131

TEXT: A systematic study of systems containing  $\text{Bi}_2\text{O}_3$  for the preparation of new, utilizable compounds involved a study of the system  $\text{Bi}_2\text{O}_3$  -  $\text{MoO}_3$  -  $\text{PbO}$ . The binary systems  $\text{Bi}_2\text{O}_3$  -  $\text{MoO}_3$  and  $\text{PbO}$  -  $\text{MoO}_3$  were completely investigated for the first time. Three congruent compounds were found in the former system:  $\text{Bi}_2(\text{MoO}_4)_3$ , m.p.  $648^\circ\text{C}$ ;  $\text{Bi}_2\text{MoO}_6$ , m.p.  $970^\circ\text{C}$ ; and  $3\text{Bi}_2\text{O}_3 \cdot \text{MoO}_3$ , m.p.  $990^\circ\text{C}$ . The latter compound forms solid solutions with  $\text{Bi}_2\text{O}_3$  and  $\text{Bi}_2\text{MoO}_6$ . The solid solutions with  $\text{Bi}_2\text{O}_3$  show neither maxima nor minima. The solid solutions of  $3\text{Bi}_2\text{O}_3 \cdot \text{MoO}_3$  with  $\text{Bi}_2\text{MoO}_6$  show a temperature minimum at  $930^\circ\text{C}$  and 33.3%  $\text{MoO}_3$ . The compound  $\text{Bi}_2(\text{MoO}_4)_3$  forms with

Card 1/4

S/078/62/007/005/012/014  
B101/B110

The ternary system  $\text{Bi}_2\text{O}_3 - \text{MoO}_3 - \text{PbO}$

$\text{Bi}_2\text{MoO}_6$  a eutectic at  $636^\circ\text{C}$  and 72.5% Mo, and with  $\text{MoO}_3$  a eutectic at  $618^\circ\text{C}$  and 81.5%  $\text{MoO}_3$ . Two compounds were found in the system  $\text{PbO} - \text{MoO}_3$ :  $\text{Pb}_2\text{MoO}_5$ , m.p.  $952^\circ\text{C}$ , and  $\text{PbMoO}_4$ , m.p.  $1065^\circ\text{C}$ . Eutectics exist at 11.7; 37.5; and 82.5%  $\text{MoO}_3$ , their melting points are 762, 935, and  $680^\circ\text{C}$ , respectively. The surface of primary crystallization of the ternary system was also studied for the first time (Fig. 5). The greater part of the crystallization surface consists of solid solutions  $\text{Bi}_2\text{O}_3 + 3\text{Bi}_2\text{O}_2 \cdot \text{MoO}_3$ . The solid solutions  $3\text{Bi}_2\text{O}_3 \cdot \text{MoO}_3 + \text{Bi}_2\text{MoO}_6$  decompose within the ternary system into their components. The ternary system has six nonvariant points:

	m.p., $^\circ\text{C}$	Composition, %		
		$\text{Bi}_2\text{O}_3$	$\text{MoO}_3$	PbO
E <sub>1</sub>	610	22.5	72.0	5.5
E <sub>2</sub>	602	15.0	78.0	7.0
E <sub>3</sub>	790	14.5	32.5	53.0
E <sub>4</sub>	635	8.5	14.5	77.0
E <sub>5</sub>	570	29.0	2.0	69.0
P	832	24.0	35.5	40.5

Card 2/4

The ternary system  $\text{Bi}_2\text{O}_3$  -  $\text{MoO}_3$  -  $\text{PbO}$

S/078/62/007/005/012/014  
B101/B110

There are 6 figures and 3 tables.


SUBMITTED: June 10, 1961

Fig. 5. Orthogonal projection of the space diagram of the system  
 $\text{Bi}_2\text{O}_3$  -  $\text{MoO}_3$  -  $\text{PbO}$  on the composition triangle.

Card 3/4

The ternary system  $\text{Bi}_2\text{O}_3 - \text{MoO}_3 - \text{PbO}$

S/078/62/007/005/012/014  
R101/R110



Card 4/4

SMOLYANINOV, N.P.; BELYAYEV, I.N.

Investigation the system  $\text{Bi}_2\text{O}_3 - \text{WO}_3 - \text{PbO}$ . Zhur.neorg.khim.  
7 no.11:2591-2595 N '62. (MIRA 15:12)  
(Bismuth oxide) (Tungsten oxide)  
(Lead oxide)

S/078/63/008/002/006/012  
B101/B186

AUTHORS: Belyayev, I. N., Smolyaninov, N. P., Kal'nitskiy, N. R.

TITLE: Investigation of the system  $\text{Bi}_2\text{O}_3$  -  $\text{TiO}_2$  -  $\text{PbO}$

PERIODICAL: Zhurnal neorganicheskoy khimii, v. 8, no. 2, 1963, 384 - 388

TEXT: The binary system  $\text{Bi}_2\text{O}_3$  -  $\text{TiO}_2$  was investigated with the aid of the fusibility method up to a content of 30 mole%  $\text{TiO}_2$ . A new congruently melting compound,  $\text{Bi}_{24}\text{TiO}_{38}$ , m.p.  $844^\circ\text{C}$ , was found, which crystallizes in a cubic body-centered lattice ( $a = 9.05 \pm 0.02 \text{ kÅ}$ ). Mixed with 2.5 mole%  $\text{TiO}_2$  it forms a eutectic with the m.p. at  $797^\circ\text{C}$  and containing 10.0 mole%  $\text{TiO}_2$  it forms a eutectic having the m.p. at  $821^\circ\text{C}$ . Additionally, through X-ray analysis, the compounds  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  and  $\text{Bi}_2\text{Ti}_3\text{O}_9$  were found. From dilatometric and thermographic investigations it followed that  $\text{Bi}_2\text{Ti}_3\text{O}_9$  undergoes a phase transition between  $180$  and  $260^\circ\text{C}$ . In the ternary system  $\text{Bi}_2\text{O}_3$  -  $\text{TiO}_2$  -  $\text{PbO}$  the crystallization regions of the phases  $\text{Bi}_2\text{O}_3$ ,  
Card 1/3

S/078/63/008/002/006/012  
3101/3186

Investigation of the system...

$\text{Bi}_{24}\text{TiO}_{38}$ ,  $\text{Bi}_6\text{Pb}_2\text{O}_{11}$ ,  $\text{Pb}_2\text{TiO}_4$  and  $\text{PbO}$  were determined. For the four ternary points the following compositions were found in mole%:

	$\text{Bi}_2\text{O}_3$	$\text{TiO}_2$	$\text{PbO}$	m.p., °C
$E_1$	63.5	0.5	36.0	680
$E_2$	29.5	1.0	69.5	599
$P_1$	70.0	8.0	22.0	775
$P_2$	49.0	2.0	49.0	608

Dilatometrical, thermographical and X-ray analysis of the cross sections of  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  -  $\text{PbTiO}_3$  and  $\text{Bi}_2\text{Ti}_3\text{O}_9$  -  $\text{PbTiO}_3$  proved the formation of  $\text{Bi}_4\text{PbTi}_4\text{O}_{15}$  and of the new compound  $\text{Bi}_2\text{PbTi}_4\text{O}_{12}$ . The similarity between the powder patterns of  $\text{Bi}_2\text{PbTi}_4\text{O}_{12}$  and those of  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ .  $\text{Bi}_4\text{PbTi}_4\text{O}_{15}$  and  $\text{Bi}_2\text{SrTi}_4\text{O}_{12}$  lead to the conclusion that  $\text{Bi}_2\text{PbTi}_4\text{O}_{12}$  too may be regarded as a ferro-electric material with laminated structure. There are 5 figures and 4 tables.

Card 2/3



Investigation of the system...

S/078/63/008/002/006/012  
B101/B186

The most important English-language reference is: E. C. Subbarao, J. Chem. Phys., 34, 695 (1961).

SUBMITTED: May 22, 1962

AID Nr. 994-2 20 June

PHASE EQUILIBRIA (Cont.)

S/078/63/008/005/013/021

PbO —  $V_2O_5$  and  $Bi_2O_3$  — PbO have previously been described. On the basis of all these diagrams and the thermal analysis of 24 sections of the ternary system, a diagram of the surface of primary crystallization of the system  $Bi_2O_3$  —  $V_2O_5$  — PbO was plotted. The system was shown to contain 11 solid phases, including the ternary compound  $BiPb_3(VO_4)_3$ , which melts with decomposition at 793°C, and 9 invariant points, 4 of which are eutectic. [BAO]

Card 2/2

PA 1475L

SMOL'YANINOV, N. T.

---

USSR/Engineering - Hydraulics, Spillways Apr 51

"Influence of Flowing Conditions of Stream and Coarseness of Drift Materials on Local Scour in Downstream Level of Structures," N. T. Smol'yaninov, Engr

"Gidrotekh Stroi" No 4, pp 22-24

Describes briefly results of investigations conducted in open laboratory of the Inst of Structures, Acad Sci Uzbek SSR, in connection with studying extensive local scours occurring in one of the large hydraulic structures in Central Asia.

197154

---

SMOLYALINOV, N. T.

Dams.

Destruction of rock in the under water of a dam by falling water.

Gidr. stroi 21 no. 2:22-24 F '52.

Monthly List of Russian Accessions, Library of Congress, July 1952. Unclassified.

1. The first of these is the fact that the "independent" variable is not independent of the "dependent" variable. In other words, the two variables are correlated. This is a common problem in many types of research, and it is one that must be taken into account when interpreting the results of a study.

AID P - 4004

Subject : USSR/Hydr. Eng.  
Card 1/1 Pub. 35 - 11/18  
Author : Smol'yaninov, N. T., Eng.  
Title : On local washouts in the tailrace of installations.  
Periodical : Gidro. stroi., 8, 32-34, 1955  
Abstract : The author brings forth formulae used by designers and presents his analysis of the computation of possible local washouts. Three diagrams. Six Russian refs., 1927-1954.  
Institution : None  
Submitted : No date

SOV /137-58-12-24737

A Fixture for the 1D-63-A Metal Lathe Permitting Butt Welding of Shafts (cont.)

components being welded are pressed together and the lathe is brought to a halt. The F described has considerably improved the quality of welded joints, the mechanical properties of which are equivalent to those of new seamless shafts.

A P.

Card 2/2

SMOL'YANINOV, S.I.

Laboratory gas generator. S. I. Smol'yaninov. U.S.-  
S.R. 103,774, Sept. 25, 1956. A generator for producing  
water gas and CO from charcoal, coke, or similar materials  
placed between 2 electrodes is described. M. Hosh



GEBLER, I.V.; SMOL'YANINOV, S.I.

Influence of hydrodynamic conditions on the synthesis of  
hydrocarbons from carbon monoxide and hydrogen at atmospheric  
pressure. Khim. i tekhn. topl. i masel no.8:51-56 Ag '57.  
(MIRA 10:10)

1. Tomskiy politekhnicheskii institut.  
(Chemistry, Organic--Synthesis)  
(Gas flow)

32-7-38/49

AUTHORS: Smol'yaninov, S. I., Popov, D. D.,  
Zobvoyev, D. D.

TITLE: An Apparatus for the Determination of the Aniline Sources  
of Dark Mineral Oil Products (Pribor dlya opredeleniya  
anilinovykh tochek temnykh nefteproduktov).

PERIODICAL: Zavodskaya Laboratoriya, 1957, Vol. 23, Nr 7, pp. 873-873 (USSR)

ABSTRACT: The apparatus consists of an electric pocket torch, a test tube  
with pressed-in bottom into which a bulb is fitted, the "wire  
mixer", and a thermometer. 3 ml aniline and a mineral oil product  
are introduced into the tube. The moment of complete dissolution  
is controlled by interior illumination. If the solution becomes  
dull, the filament of the bulb is invisible. By means of this  
apparatus it is possible to determine aniline sources. There  
is 1 figure.

ASSOCIATION: Polytechnic Institute of Tomsk (Tomskiy politekhnicheskiy  
institut).

AVAILABLE: Library of Congress

Card 1/1

The Determination of Aniline Spots of Petroleum Products SOV/32-25-2-45/78

ASSOCIATION: Tomskiy politekhnicheskii institut (Tomsk Polytechnic Institute)

Card 2/2

GERLER, I.V.; SMOL'YANINOV, S.I.; FOTAPENKO, V.Ye.; KOSOLAPOV, V.I.

Effect of the additions of iron ore and fluxes on the properties  
of peat as a metallurgical fuel. Izv.TPI 111:86-90 '61.  
(MIRA 16:9)

(Peat) (Iron ore) (Fuel)

GOSPLAN, M.V.; S. A. L. NOV, S. I.

Brown coals in the Altai region of Tomsk Province. Inv. TPI 111:  
M-103 '61. (MIRA 16:9)  
(Tomsk Province—Coal)

SMOL'YANINOV, S.I.; MIRONOV, V.M.; KRAVTSOV, A.V.

Effect of the hydrodynamic conditions on the synthesis of organic compounds from carbon monoxide and water vapor. Khim.i tekhn. topl.i masel 7 no.8:12-16 Ag '62. (MIRA 15:8)

1. Tomskiy politekhnicheskii institut.  
(Chemistry, Organic--Synthesis) (Carbon monoxide) (Water vapor)

SMOL'YANINOV, S.I., kand.tekhn.nauk; VORONIN, V.Ye., inzh.

Manufacture of peat thermobriquets under high heating rate  
conditions. Torf.prom. 39 no.4:26-30 '62. (MIRA 15:7)

1. Tomskiy politekhnicheskii institut.  
(Briquets (Fuel))  
(Pyrolysis)

1. Przebieg choroby (historia choroby) - opis przebiegu choroby, objawów, wyników badań laboratoryjnych i instrumentalnych, leczenia i skutków.



GEHLER, I.V.; SMOL'YANINOV, S.I.

Prospects for the development of metallurgical and chemical industries  
in the Tomsk Province. Izv. TPI 126:3-7 '64. (MIRA 18:7)

GEBLER, I.V.; SMOL'YANINOV, S.I.

Fuel-smelting materials based on peat. Izv. TPI 126:8-11 '64.  
(MIRA 18:7)

LCB43. G.P.; SMOLYANINOV, E.P.

Apparatus for the high-frequency determination of concentration.  
Izv. TPI 126,80-83 '64. (MIRA 18:7)

SMOL'YANINOV, S.I.; STRAMKOVSKAYA, K.K.; SMIRNOV, A.P.; OLITSKIY, I.F.;  
KVASHNIN, S.A.

Removal of dust and tar from gases by electrostatic precipitation.  
Izv. TPI 126:91-97 '64. (MIRA 18:7)

GEBLER, I.V.; MARTYNOV, A.M.; SEVERIN, B.M.; SMOL'YANINOV, S.M.

Effect of pressure and moisture on the properties of peat as  
a metallurgical fuel. Torf.prom. 36 no.8:16-20 '59.  
(MIRA 13:3)

1. Tomskiy politekhnicheskiy institut.  
(Peat)

SMOL'YANINOV, V.

Concern for the development of the exchange of goods between town and country. Sov. torg. 33 no. 4:48-56 Ap '60. (MIRA 14:5)

1. Byvshiy zamestitel' Upravdelani Soveta truda i oborony, chlen Kommunisticheskoy partii Sovetskogo Soyuza s 1908 g.

(Lenin, Vladimir Il'ich, 1870-1924)

(Russia—Commerce)

AUTHOR: Smol'yaninov, V. SOV-2-58-7-4/14

TITLE: Recalling the First Years of Work at the Central Administration of Statistics (Iz vospominaniy o pervykh godakh raboty TsSU)

PERIODICAL: Vestnik statistiki, 1958, Nr 7, pp 25 - 36 (USSR)

ABSTRACT: From 1921 to 1923 the author collaborated closely with Lenin on economic matters, and he points out the exclusive role of Lenin in directing the first steps of Soviet statistics. There are 16 Soviet references.

Card 1/1

TITKOV, N.I.; KORZHIYEV, A.S.; NIKISHIN, V.A.; SMOLYANINOV, V.G.

Using electric current for strengthening rocks in well walls.  
Trudy Inst.nefti 11:85-110 '58. (MIRA 11:12)  
(Rocks) (Electric currents)



SMOLYANINOV, V. G.

with N. I. Titkov, A. S. Korzhuyev and V. A. Nikishin "Application of Electric Current for Strengthening the Core of Oil Wells"

Transactions of the Petroleum Institute, Acad. Sci. USSR, v. 11, Oil Field Industry, Moscow, Izd-vo AS SSSR, 1958. 346pp.

SMOLYANINOV V S

14(5)

PHASE I BOOK EXPLOITATION

SOV/2641

Titkov, Nikolay Iosafovich, Aleksandr Sergeyevich Korzhuyev, Vladimir Georgiyevich Smolyaninov, Vladimir Aleksandrovich Nikishin, and Anna Yakovlevna Neretina

Elektrokhimicheskiy metod zakrepleniya neustoychivyykh gornyykh porod (Electrochemical Method for Consolidation of Unstable Rocks) Moscow, Gostoptek-hizdat, 1959. 77 p. (Series: Novaya tekhnika neftyanoy promyshlennosti) Errata slip inserted. 2,000 copies printed.

Ed.: M.A. Geyman; Exec. Ed.: N.D. Dubrovina; Tech. Ed.: A.S. Polosina.

PURPOSE: This book is intended for engineers and technicians of the petroleum and mining industry, for constructors of railroads, highways, and hydraulic systems, and for scientists concerned with the problem of consolidating unstable soft rock formation.

COVERAGE: The book presents scientific principles of the electrochemical method applied in order to consolidate unstable soft rocks, and reviews results of laboratory and field tests conducted to appraise the practicability of

Card 1/4

Electro-chemical (Cont.)

SOV/2641

of Sciences V.Ye. Bykov, Ye.G. Getts, S.N. Yelovikova, N.I. Maksimova,  
and A.S. Chuphlov. There are 5 references: 3 Soviet and 2 German.

TABLE OF CONTENTS:

Introduction	3
Change in Clay Properties and Composition Taking Place Under the Influence of Direct Electric Current	5
Creation of New Mineral Formations by Electrochemical Consolidation of Clays	14
Laboratory Tests of Electrochemical Method of Consolidation of Unstable Rocks	22
Testing the Method of Electrochemical Consolidation of Unstable Rocks on Borehole Walls	47
Flow Sheet for Consolidation of Unstable Rocks on Borehole Walls by Electro- Card 3/4	

TITKOV, N.I.; KORZHUYEV, A.S.; SMOLYANINOV, V.G.; NIKISHIN, V.A.

Stabilizing clays in well walls by the eletrochemical  
method. Neft.khoz. 37 no.3:38-40 Mr '59. (MIRA 12:5)  
(Clay)

SMOLYANINOV, V.G.

Using the direct current for treating boreholes in order to  
eliminate the absorption zones. Neft. i gaz. prom. no.2:29-34  
Ap-Je '62. (MIRA 15:6)

1. Institut geologii i razrabotki goryuchikh iskopayemykh  
AN SSSR.

(Oil well drilling fluids)

SMOLYANINOV, V.G., inzh.

Safety problems in cementing oil wells by electrochemical methods.  
Bezop.truda v prom. 6 no.4:12-13 Ap '62. (MIRA 15:5)  
(Oil well cementing—Safety measures)

SMOLYANINOV, V.G., gornyy inzh., nauchnyy sotrudnik

Electrochemistry at the drilling rig. Neftianik 7 no.7:11-12  
Jl '62. (MIRA 16:3)

1. Institut geologii i razrabotki goryuchikh iskopayemykh.  
(Oil-well cementing)

SMOLYANINOV, V.G.

New method of eliminating areas of circulation loss in  
drilling wells. Razved. i okhr. nefti 28 no.10:27-32  
0 '62. (MIRA 15:11)

1. Institut geologii i razrabotki goryuchikh  
iskopayemykh AN SSSR.  
(Oil well drilling fluids)



TITKOV, N.I.; KUZ'MENKOV, P.G.; SMOLYANINOV, V.G.

Trends in the improvement of equipment for the electrochemical  
strengthening of well walls. Mash. i nef. obor. no.2:3-10 '64.  
(MIRA 17:8)

1. Institut geologii i razrabotki goryuchikh iskopayemykh.

SMOLYANINOV, V.G.

Unit for completion, flushing, and damping of wells with  
partial well case off. Mash. i neft. obr. no. 4:3-5 '64.  
(MIRA 17:6)

1. Institut geologii i razrabotki goryuchikh iskopayemykh  
AN SSSR.

TITKOV, N.I.; SMOLYANINOV, V.G.; ABDULLIN, R.A.

Safe method of testing wells with the help of isotopes. Bezop.  
truda v prom. 8 no.10:43-44 0 '64. (MIRA 17:11)

SMOLYANINOV, V.G.

Nature of paraffin formation on wells with partial case-off.  
Nefteprom. delo no.1:18-22 '65. (MIRA 18:3)

1. Institut geologii i razrabotki goryuchikh iskopayemykh AN SSSR.

SMOLYANINOV, V.G.

Borehole flushing, flowing well damping, and well completion when  
using packers. Naft. i gaz.prom. no.1:38-39 Ja-Mr '65.

(MIRA 18:6)

SMOLYANINOV, V.G.

Instrument for the investigation of wells by means of  
radioactive isotopes. Mash. i neft. obor. no.11:9-10 '64.  
(MIRA 19:1)  
1. Institut geologii i razrabotki goryuchikh iskopayemykh,  
Moskva.

SMOLYANINOV, V.L., inzh.

Purification of flue gas in rotary and stack kilns for magnesite and dolomite firing. Ogneupory 19 no.5:201-207 '54. (MIRA 11:8)

1. Leningradskiy institut ogneuporov.  
(Fly ash) (Refractories industry--Equipment and supplies)

SMOL'YANINOV, Vladimir Mikhaylovich, prof.; TATIYEV, Konstantin Ivenovich,  
prof.; CHERVAKOV, Vasilii Fedorovich, prof.; RYABOV, G.Z., red.;  
ZAKHAROVA, A.I., tekhn.red.

[Forensic medicine] Sudebnaia meditsina. Moskva, Gos.izd-vo med.  
lit-ry, 1959. 367 p. (MIRA 13:5)  
(MEDICAL JURISPRUDENCE)



SMOL'YANINOV, V.M.

"The Department of Forensic Medicine of the First Moscow Medical  
Institute. Research activity 1917-1957" by E.E.Matova and others.  
Reviewed by V.M.Smol'ianinov. Sud,-med. ekspert. 3 no.3:58-59 J1-S  
'60. (MIRA 13:9)

(MEDICAL JURISPRUDENCE)

(MATOVA, E.E.)

SMOL'YANINOV Vladimir Mikhaylovich

[Medical jurisprudence] Sudebnaia meditsina. Izd.2., ispr. i dop.  
Moskva, Medgiz, 1961. 399 p. (MIRA 14:11)  
(MEDICAL JURISPRUDENCE)

SMOL'YANINOV, Vladimir Mikhaylovich; TATIYEV, Konstantin Ivanovich,  
prof. [deceased]; CHERVAKOV, Vasil'y Fedorovich, prof.;  
RYABOV, G.Z., red.; BEL'CHIKOVA, Yu.S., tekhn. red.

[Forensic medicine] Sudebnaia meditsina. Izd.3., ispr. 1 dop.  
Moskva, Medgiz, 457 p. 1961 (MIRA 16:10)  
(MEDICAL JURISPRUDENCE)

PROZOROVSKIY, V.I., zasl. deyatel' nauki, prof., otv. red.;  
BRONNIKOVA, M.A., prof., red.; GROMOV, L.I., prof., red.;  
KANTER, E.I., st. nauchn. sotr., red.; KOLOSOVA, V.M.,  
st. nauchn. sotr., red.; KUBITSKIY, Yu.M., prof., red.;  
MITYAYEVA, N.A., st. nauchn. sotr., red.; RUBTSOV, A.F.,  
st. nauchn. sotr., red.; SMOL'YANINOV, V.M., prof., red.

[Transactions of the Fourth All-Union Conference of Forensic  
Medical Experts] Sbornik trudov chetvertoy Vsesoyuznoy kon-  
ferentsii sudebnykh medikov. Riga, M-vo zdravookhraneniia  
SSSR, 1962. 588 p. (MIRA 17:11)

1. Vsesoyuznaya konferentsiya sudebnykh medikov. 4th, 1962.
2. Nauchno-issledovatel'skiy institut sudebnoy meditsiny  
Ministerstva zdravookhraneniya SSSR (for Gromov, Bronnikova,  
Kanter, Mityayeva, Rubtsov).
3. Direktor Nauchno-issledova-  
tel'skogo instituta sudebnoy meditsiny Ministerstva zdravoo-  
okhraneniya SSSR (for Prozorovskiy).
4. Zamestitel' Predse-  
datelya Uchenogo meditsinskogo soveta Ministerstva zdravoo-  
okhraneniya RSFSR (for Smol'yaninov).

SMET'YANINOV, V.M., prof.

Shortcomings in planning the training of doctors of medical  
sciences. Biul. Uch. med. sov. 3 no.4:28-30 July '62.  
(MIR: 1748)

SMOL'YANINOV, V.M.; BRONSHTEYN, Ye.Z.

Medicolegal examination of ecchymoses. Sud.-med. eksper. 7  
no.1:19-21 Ja-Mr'64 (MIRA 17:4)

1. Kafedra sudebnoy meditsiny (zav. - prof. V.M. Smol'yaninov)  
II Moskovskogo meditsinskogo instituta imeni N.I. Pirogova.

ANDREYEV, S.V., prof.; KRAVCHENKO, A.T., prof.; NAUMENKO, V.G., kand. med. nauk;  
Prinimali uchastiye: GORDILOVA, V.V., prof.; YESIPOVA, I.K., prof.;  
SMOL'YANINOV, V.M., prof.; SOKOLOV, M.I., prof.

Dissertations on pathological and microbiological problems; current  
state and future prospects. Sov. med. 27 no.6:147-151 Je '64.  
(MIRA 18:1)

SMOLYAKINOV, V.I., Inzh.

Investigating the operation of the Z-116 press to determine  
losses during the periods of idle and working strokes of a  
crank press. Vest.mash. 41 no.2:46-50 F '61. (MIRA 14:3)  
(Power presses--Testing)



SMOLYANINOV, V.P.

Selecting a method of calculating the power of a crank  
press. Kuz.-shtam. proizv. 5 no.11:33-35 N '63.  
(MIRA 17:1)

SMOLYANINOV, V.P.

Position of the friction engagement clutch on a crank press.  
Kuz.-shtam. proizv. 4 no.5:34 My '62. (MIRA 16:5)  
(Power presses—Electric driving)

SMOLYANINOV, V.P.

Determining power losses in the course of work of a K232B crank press.  
Kuz.-shtam. proizv. 5 no.1:24-25 Ja '63. (MIRA 16:2)  
(Power presses) (Friction)

ЗНАМЕН, С.С.; МАМОНОВ, В.П.; КОЛОДЦОВ, А.А.

Causes of the crumbling-out of hard-alloy blanking dies. Kuz.-  
shtam. promy. 7 no.8:21-23 Ag '65. (MIRA 18:9)

ANDREYEV, Mikhail Grigor'yevich; SMOL'YANINOVA, Aleksandra Mitrofanovna;  
KOLEDEKHOV, Sergey Semenovich; KOMAROV, Sergey Georgiyevich;  
SHEMANTSEV, D.N., retsenzents; DOROFEEVA, A.I., retsenzents;  
PESKOVA, L.N., red.; VOROTNIKOVA, L.F., tekhn. red.

[Planning, business accounting and analysis of the administrative  
operations of a railroad car depot] Planirovanie, khozraschet i  
analiz khoziaistvennoi deiatel'nosti vagonnogo depo. Moskva,  
Transzheldorizdat, 1962. 149 p. (MIRA 15:12)  
(Railroads--Finance)

SMIRNOVA, G.M.; YEGOROVA, L.A.; KALININA, V.I.; UKHANOVA, V.A.;  
BEZGUBOVA, L.V.; ARTAMONOVA, V.V.; SMOL'YANINOVA, G.A.

Retardation of acid accumulation in case of continuous method  
of bread preparation from grade I wheat flour with a dough making  
machine with continuous action. Trudy TSNIKHHP no.8:151-152 '60.  
(MIRA 15:8)

(Dough)

SMOLYANTINOVA, I.I., Cand Med Sci -- (diss) "Surgical <sup>the</sup> ~~place~~  
<sup>and</sup> in the treatment of concomitant strabismus and the effect of  
<sup>its</sup> results on the state of binocular vision." Mos, 1958,  
13 p. (Second Mos State Med Inst im N.I. Pirogov) 250 copies  
(PL, 40-58, 131)

- 152 -

SMOL'YANINOVA, I.L.

Surgical treatment of convergent concomitant strabismus and effect of binocular vision. Vestnik, 71 no.4:17-19 J1-Ag '53 (MIRA 11:8)

1. Otdeleniye okhrany zreniya detey (zav. - Ye.M. Belostotskiy)  
Gosudarstvennogo nauchno-issledovatel'skogo instituta glaznykh bolezney  
imeni G.G. Morgol'tsa (dir. - A.V. Roslavtsev).

(STRABISMUS, surg.

eff. on postop. binocular vision (Rus))



SMOL'YANINOVA, I.L.

Measurement of coordination as a function test of the oculomotor  
muscles. Vest. oft. 73 no. 4:38-41 J1-Ag '60. (MIRA 14:1)  
(EYE→MUSCLES)

SMOL'YANINOVA, I.L., kand.med.nauk

Eye clinics in the Polish People's Republic. Vest.oft. no.1:  
83-85 '62. (MIRA 15:11)

1. Nauchno-iseledovatel'skiy institut glaznykh bolezney imeni  
Gel'mgol'tsa.  
(POLAND—HOSPITALS, OPHTHALMIC AND AURAL)

SMOL'YANINOVA, I.L., kand.med.nauk

Some methods for the examination of patients with concomitant strabismus. Uch.zap. GVII glaz.bol. no.7:19-26 '62.

(MIRA 16:5)

1. Iz otdeleniya okhrany zreniya detey Gosudarstvennogo nauchno-issledovatel'skogo instituta glaznykh bolezney imeni Gel'mgol'tsa.  
(STRABISMUS)

SMOL'YANINOVA, I.L., kand.med.nauk

Determination of the functional state of the oculomotor muscles  
by the method of coordination measurement. Uch.zap. GNII glaz.  
bol. no.7:35-40 '62. (MIRA 16:5)

1. Iz otdeleniya okhrany zreniya detey Gosudarstvennogo nauchno-  
issledovatel'skogo instituta glaznykh bolezney imeni Gel'mgol'tsa.  
(STRABISMUS)

SMOL'YANINOVA, I.L., kand.med.nauk; KHVATNOVA, A.V., kand.med.nauk

Methodological basis of pre- and postoperative treatment and surgery in concomitant strabismus. Uch.zap. GNII glaz.bol. no.7:81-90 '62. (MIRA 16:5)

1. Iz otdeleniya okhrany zreniya detey i travmatologicheskogo otdeleniya Gosudarstvennogo nauchno-issledovatel'skogo instituta glaznykh bolezney imeni Gel'mgol'tsa.  
(STRABISMUS)

SMOL'YANINOVA, I.L., kand.med.nauk

Results of pre- and postoperative treatment and surgery in  
convergent concomitant strabismus. Uch.zap. GII glaz.bol.  
no.7:91-100 '62. (MIRA 16:5)

1. Iz otdeleniya okhrany zreniya detey Gosudarstvennogo nauchno-  
issledovatel'skogo instituta glaznykh bolezney imeni Gel'mgol'tsa.  
(STRABISMUS)

SMOL'YANINOVA, I.L., kand.med.nauk

Some problems in the diagnosis and treatment of strabismus with a vertical component. Uch.zap. GNII glaz.bol. no.7:109-112 '62.  
(MIRA 16:5)

1. Iz otdeleniya okhrany zreniya detey Gosudarstvennogo nauchno-issledovatel'skogo instituta glaznykh bolezney imeni Gel'mgol'tsa.  
(STRABISMUS)

BELOSTOTSKIY, Ye.M., doktor med.nauk [deceased]; AVETISOV, E.S., kand.  
med.nauk; FRIDMAN, S.Ya., kand.med.nauk; SMOL'YANINOVA, I.L.,  
kand.med.nauk; KHVATOVA, A.V., kand.med.nauk

Basic problems of diagnosis and treatment of concomitant  
strabismus. Uch.zap. GNII glaz.bol. no.7:7-12 '62.

(MIRA 16:5)

1. Iz otdeleniya okhrany zreniya detey Gosudarstvennogo nauchno-  
issledovatel'skogo instituta glaznykh bolezney imeni Gel'mgol'tsa.  
(STRABISMUS)



BELOST'ETSKIY, Ye.M., doktor med.nauk [deceased]; SMOL'YANINOVA, I.L.,  
kand.med.nauk

New surgical method in secondary strabismus. Uch.zap. GNI glaz.  
bol. no.7:129-131 '62. (MIRA 16:5)

1. Iz otdeleniya okhrany zreniya detey Gosudarstvennogo nauchno-  
issledovatel'skogo instituta glaznykh bolezney imeni Gel'mgol'tsa.  
(STRABISMUS)

SMOL'YANINOVA, L. A. and GOLYBKOVA, V. P.

"To the Method of Investigating Pollen," Dokl. AN SSSR, 75, No.1,  
pp. 125-26, 1950

Jr. Sci. Assoc., Botanical Inst. im. V. L. Komarov, AS USSR

SMOL'YANINOVA, L.A.

Genera: Dionysia, Soldanella, Hottonia, Samolus. Flora SSSR 18:208-217;  
249-255 '52. (MLRA 6:5)  
(Primulaceae)

SMOL'YANINOVA, I.A.; GOLUBKOVA, V.F.

Method of processing herbarium material. Bot.zhur. 38 no.4:573-574 J1-Ag  
'53. (MLRA 6:9)

1. Botanicheskiy institut im. V.A.Komarova Akademii nauk SSSR, Leningrad.  
(Plants--Collection and preservation)

SMOL'YANINOVA, L.A.; GOLUBKOVA, V.F.

Microtome slices of pollen grains. Izv. AN BSSR no.2:127-129  
Mr-Apr '55. (MIRA 8:9)

(Pollen)

SMOL'YANINOVA, L.A.

Systematics of the genus *Micropus* L. Bot.mat.Gerb. 17:447-454  
'55. (MLBA 9:5)

(Compositae)

SMOL'YANINOVA, L.A.

On the species *Androsace bryomorpha* Lipsky. Bot. mat. Gerb. 18:173-178  
'57. (MLRA 10:6)

(Pamirs--Primroses)

SMOL'YANINOVA, L.A.

A new species of the genus *Evax* Gaertn. Bot. mat. Gerb. 18:269-273  
'57. (MIRA 10:6)

(Kyzyl-Kum--Compositae)



BORISOVA, A.G.; BOCHANITSEV, V.P.; VASIL'CHENKO, I.T.; GOLUBKOVA, V.F.;  
GORSHKOVA, S.G.; GRUBOV, V.I.; KIRPICHNIKOV, M.E.; SMOL'YANINOVA, L.A.;  
TAMAMSHYAN, S.G.; TSVELEV, N.N.; YUZEPCHUK, S.V.; KOMAROV, V.L.,  
akademik, glavnyy red.; SHISHKIN, B.K., red.izdaniya; BOBROV, Ye.G.,  
doktor biol.nauk, prof., red.; SMIRNOV, A.V., tekhn.red.

[Flora of the U.S.S.R.] Flora SSSR. Moskva, Izd-vo Akad.nauk  
SSSR. 1959. 630 p. (MIRA 12:8)

1. Chlen-korrespondent AN SSSR (for Shishkin).  
(Compositae)

BORISOVA, A.G.; BOCHANTSEV, V.P.; VASIL'CHENKO, I.T.; GOLUBKOVA, V.F.;  
GORSHKOVA, S.G.; GRUBOV, V.I.; KIRPICHNIKOV, M.E.; SMOL'YANINOVA,  
L.A.; TAMAMSHYAN, S.G.; TSVELEV, N.N.; TSVETKOVA, L.I.; YUZEP-  
CHUK, S.V.; SHISHKIN, B.K., red.toma; BOBROV, Ye.G., doktor  
biol.nauk, prof., red.: SMIRNOVA, A.V., tekhn.red.

[Compositae] Compositae. Moskva, Izd.-vo Akad.nauk SSSR, 1959.  
630 p.(Akademiia nauk SSSR. Botanicheskii institut. Flora  
SSSR. no.25) (MIRA 13:4)

(Compositae)

SMOL'YANINOVA, L.A.

A note on the genus *Symphylocarpus* Maxim. Bot.mat.Gerb.  
20:282-288 '60. (MIRA 13:7)  
(Amir Valley--*Symphylocarpus*)  
(Sungari Valley--*Symphylocarpus*)

AFANAS'YEV, K.S.; BOCHANTSEV, V.P.; VASIL'CHENKO, I.T.; GORSHKOVA, S.G.;  
IL'IN, M.M.; KIRPICHNIKOV, M.E.; KNORRING, O.E.; KUPRIYANOVA, L.A.;  
POBEDIMOVA, Ye.G.; POLYAKOV, P.P.; POYARKOVA, A. I.; SMOL'YANINOVA, L.A.;  
FEDOROV, An.A.; TSVETKOVA, L.I.; TSVELEV, N.N.; SHISHKIN, B.K.;  
KOMAROV, V.I., akademik, glavnyy red.; BOBROV, red.toma; SHISHKIN, B.K.;  
red.izd.; SMIRNOVA, A.V., tekhn.red.

[Flora of the U.S.S.R.] Flora SSSR. Moskva, Izd-vo Akad.nauk  
SSSR. 1961. 938 p. (Flora SSSR, vol. 26). (MIRA 15:2)

1. Chlen-korrespondent AN SSSR (for Shishkin).  
(Compositae)

BOBROV, Ye.G.; BONDARTSEV, A.S.; BORISOVA, A.G.; VASIL'KOV, B.F.;  
VASIL'CHENKO, I.T.; GOLUBKOVA, V.F.; GRUDZINSKAYA, I.A.;  
YEGOROVA, T.V.; ZINOVA, A.D.; IVANINA, L.I.; LEONOVA, T.G.;  
MATSENKO, A.Ye.; PIDOTTI, O.I.; POBEDIMOVA, Ye.G.; POLYAKOV,  
P.P.; POYARKOVA, A.I.; SAVICH, V.P.; SIN'KOVA, G.M.; SMIRNOVA,  
Z.N.; SMOL'YANINOVA, L.A.; FEDOROV, A.I.A.; KHARADZE, A.L.;  
TSVELEV, N.N.; SHISHKIN, B.K. [deceased]; PEN'KOVA, G.A., red.;  
BARANOVA, L.G., tekhn. red.; FRIDMAN, Z.L., tekhn. red.

[Botanical atlas] Botanicheskii atlas. Moskva, Sel'khozizdat,  
1963. 501 p. (MIRA 16:12)

1. Chlen-korrespondent AN SSSR (for Shishkin).  
(Botany—Atlases)



S/128/60/000/005/003/004  
A104/A133

AUTHORS: Kononov, M. N., and Smol'yaninova, L. S.

TITLE: Epoxy resin patterns

PERIODICAL: Liteynoye proizvodstvo, no. 5, 1960, 37-38

TEXT: The article deals with epoxy resin patterns used at the Leningradskiy zavod im. Lepse (Leningrad Plant im. Lepse). The patterns have a smooth finish, requiring no mechanical working, and molding sand does not stick to the pattern surface. The accuracy and surface finish of castings is equal to that of castings made from metal patterns. Epoxy resin patterns are formed on wooden or metal master patterns. Wooden master patterns are used for ГОСТ 1855-55 and ГОСТ 2009-55 (GOST 1955-55 and GOST 2009-55) patterns for castings of simple configuration, while metal patterns are employed for casting of 2nd class tolerances. The manufacturing technology of sand molds, consisting of a metal molding plate (1), wooden molding box (2), master model (3), coating layer (4) and basic sand mixture (5) is shown in Figure 1. Wooden patterns are coated with epoxy glue of the following composition: 39 weight parts ЭА-6, БТМ 646-55 (ED-6, VTU M 646-55) epoxy resin; 8 parts

Card 1/4

S/128/60/000/005/003/004  
A104/A133

# Epoxy resin patterns

by weight dibutylphthalate ГOCT 3863-47 (GOST 3863-47); 3 parts by weight polyethylene polyamine БТУ П-10-57 (VTU P-10-57) or tailings of hexamethylene diamine БТУ No. 13x-23-28 (VTU No. 13kh-23-28) and 50 parts by weight acetone. The sand mold consists of a 2 - 4 mm coating layer and the basic sand mixture. The coating layer is composed of 52 weight parts ЭД-6, БТУ 646-55 (ED-6, VTU 646-55) epoxy resin; 8 parts dibutylphthalate ГOCT 3863-47 (GOST 3863-47); 5 parts БТУ П-10-57 (VTU P-10-57) polyethylene polyamine or 10 parts tailings of hexamethylene diamine БТУ No. 13x-23-28 (VTU No. 13kh-23-28) and 30 parts marshalite. Plastics molds are shown in Figure 2 where dibutylphthalate is used as plasticizer. Two epoxy resin pattern mixtures are recommended. The first consists of 31.0 parts by weight ЭД-6 БТУ М 646-55 (ED-6 VTU М 646-55) epoxy resin, 3.1 parts by weight ГOCT 3863-47 (GOST 3863-47) dibutylphthalate, 3.1 parts by weight БТУ П-10-57 (VTU P-10-57) polyethylene polyamine and 62.8 parts by weight АСМ ТУ 3648-53 (ASM TU 3648-53) powdered iron. The second mixture consists of 30.3 parts by weight ЭД-6 БТУ М 646-55 (ED-6 VTU М 646-55) epoxy resin, 3.3 parts by weight ГOCT 3863-47 (GOST 3863-47) dibutylphthalate, 6.6 parts by weight БТУ No. 1323-58 (VTU No. 1323-58) hexamethylene diamine tailings and 59.8 parts by weight АСМ ТУ


Card 2/4



Epoxy resin patterns

S/128/60/000/000/001/004  
A104/A133

3648-53 (ASM TU 3648-53) powdered iron. The physical and mechanical properties of the pattern materials are: linear shrinkage 0.3%, hardness H (diameter 5 mm, load 250 kg) 23 - 25, tensile strength 430 - 460 kg/cm<sup>2</sup>, elongation 0.2%, toughness 0.12 - 0.14 kg-m/cm<sup>2</sup>. The wear resistance of patterns is increased by heat treatment in the electric furnace according to the following conditions: heating to 300°C for 1 hour, 2 hours holding; temperature increase to 500°C for 1 hour, 4 hours holding; 1.5 hours cooling down to 300°C, 2 - 3 hours holding and 1 hour holding in the switched off furnace. Standard patterns made of epoxy resin and devised for the large-scale production of malleable cast iron castings are shown. Patterns of epoxy resins completely eliminate mechanical and bench work. There are 6 figures. ✓



Card 3/4

ABRA OV, Viktor Leonidovich; SMOL'YANINOVA, Lyutsiya Sergeyevna;  
FUDIM, Dmitriy Markovich; LIPNITSKIY, A.M., red.; GUMOVSKAYA,  
G.V., red. izd-va; BELOGUROVA, I.A., tekhn. red.

[Making pattern foundry equipment from epoxy resins; from  
practices of the Lepse Fittings Plant in Leningrad] Izgotovle-  
nie liteinoy model'noi osnastki iz epoksidnykh smol; iz opyta  
Leningradskogo armaturnogo zavoda imeni Lepse. Leningrad,  
1962. 24 p. (Leningradskii dom nauchno-tekhnicheskoi propa-  
gandy. Obmen peredovym opytom. Seriya: Liteinoe proizvodstvo,  
no.3) (MIRA 15:9)

(Patternmaking)

USSR/General and Systematic Zoology. Insects. Harmful P  
Insects and Acarids. Fodder Pests.

Abs Jour : Ref Zhur - Biol., No 3, 1959, No 11612

Author : Smol'yaninova N.

Inst : Krasnoyarsk Scientific-Research Institute of  
Agriculture.

Title : Control of Alfalfa Pests in the Conditions of  
Irrigated Agriculture in Khakasia.

Orig Pub : Byul. nauchno-tekhn. inform. Krasnoyarskogo n.-1.  
inOta s. kh., 1957, No 1-2, 81-83

Abstract : According to data submitted by the Khakasia Ex-  
perimental Station, the alfalfa pests decrease  
the harvest of the seeds by 30-40%. The burning-  
out of the alfalfa stubbles in early spring des-  
troys the hibernating stages of the pests and,  
on the sowing areas with the burnt-out stubbles, the

Card : 1/2

USSR/General and Systematic Zoology. Insects. Harmful  
Insects and Acarids. Fodder Pests.

P

Abs Jour : Ref Zhur - Biol., No 3, 1959, No 11612

numbers of alfalfa-leaf (larvae) and tubercule  
weevils and bugs are correspondingly reduced by  
53, 49 and 50%. Autumnal irrigation of alfalfa  
creates better conditions for the plants, increas-  
ing their resistance to injury; it is unfavorable  
for the hibernation of the alfalfa-leaf weevil,  
decreasing the quantity of its larvae by 20-30%.  
Aerial dusting with 12% BHC, 20-25 kg/ha, in the  
beginning of the budding period, lowers the quan-  
tity of the pests by 90-95%, and increases the  
harvest of the seeds by 22-30%. -- A.P. Adrianov

Card : 2/2

- 23 -

GRUZDOV, S.F. [deceased]; SMOL'YANINOVA, N.K.; NITOGHKINA, A.P.;  
GOLUBINSKAYA, Ye.S., redaktor; PAVLOVA, M.M., tekhnicheskii  
redaktor

[Raspberries and blackberries] Malina i ezhevika. Moskva, Gos.  
izd-vo selkhoz. lit-ry, 1956. 156 p. (MIRA 9:8)  
(Raspberries) (Blackberries)

ZAYETS, V.K., kandidat sel'skokhozyaystvennykh nauk; KASHICHKINA, M.I.,  
kandidat sel'skokhozyaystvennykh nauk; SERGEYEVA, K.D., kandidat  
sel'skokhozyaystvennykh nauk; SMOL'YANINOVA, N.K., kandidat sel'sko-  
khozyaystvennykh nauk, laureat Stalinskoy premii; SIMONOVA, M.N.,  
kandidat sel'skokhozyaystvennykh nauk, laureat Stalinskoy premii;  
FILOSOFOVA, T.P.; KAZAKOVA, Ye.D., redaktor; ZUBRILINA, Z.P., tekhnicheskii redaktor; GUREVICH, M.M., tekhnicheskii redaktor

[Breeding barriers; a collection of articles] Seleksiia iagodnykh  
kul'tur; sbornik statei. Moskva, Gos. izd-vo selkhoz. lit-ry, 1956.  
165 p. (MLRA 9:10)

1. Nauchno-issledovatel'skiy institut sadovodstva imeni I.V.Michurina.
2. Moskovskaya plodovo-yagodnaya opytная stantsiya (for Simonova,  
Smol'yaninova)  
(Berries)

31700 1770.0010, N.K.  
IVANOVA, Yevgeniya Aleksandrovna; MARKOV, V.Ya.; SMOL'YANINOVA, N.K.;  
KAZAKOVA, Ye.D., red.; VESKOVA, Ye.I., tekhn.red.

[Berries for private garden plots] IAgodnye kul'tury v priusadebnom  
sadu. Moskva, Gos.izd-vo sel'khoz.lit-ry, 1957. 248 p. (Bibliotechka  
po sadovodstvu, no.13) (MIRA 10:12)

(Berries)

KAMSHILOV, N.A.; ANTONOV, M.V.; BAKHAREV, A.N.; BLINOV, L.F.; BORISOGLEBSKIY, A.D.; GAR, K.A.; GARINA, K.P.; GORSHIN, P.F.; GUTIYEV, G.T.; DELITSINA, A.V.; DUBROVA, P.F.; YEVTVSHENKO, A.F.; YEGOROV, V.I.; YEREMENKO, L.L.; YEFINOV, V.A.; ZHILITSKIY, Ya.Z.; ZHUCHKOV, N.G., prof.; ZAYETS, V.K.; ISKOL'DSKAYA, R.B.; KOLESNIKOV, V.A., prof.; KOLESHNIKOV, Ye.V.; KOSTINA, K.F.; KRUGLOVA, V.A.; LEONT'YEVA, M.N.; LESYUK, Ye.A.; MUKHIN, Ye.N.; NAZARYAN, Ye.A.; NEGRUL', A.M., prof.; ODITSOV, V.A.; OSTAPENKO, V.I.; PETRUSEVICH, P.S.; PROSTOSERDOV, N.N., prof.; RUKAVISHNIKOV, B.I.; RYABOV, I.N.; SABUROV, N.V.; SABUROVA, T.N.; SAVZDARG, V.E.; SEMIN, V.S.; SIMONOVA, M.N.; SMOLYANINOVA, N.K.; SOBOLEVA, V.P.; TARASENKO, M.T.; FETISOV, G.G.; GHIZHOV, S.T.; CHUGUNIN, Ya.V., prof.; YAZVITSKIY, M.N.; ROSSOSHCHANSKAYA, V.A., red.; BALLOD, A.I., tekhn.red.

[Fruitgrower's dictionary and handbook] Slovar'-spravochnik sadovoda. Moskva, Gos.izd-vo sel'khoz.lit-ry, 1957. 639 p. (MIRA 11:1)

(Fruit culture--Dictionaries)



*Smol'yaninova, N. A.*

USSR/Diseases of Plants. Diseases of Cultivated Plants 0-3

Abs Jour : Ref Zhur-Biol., No 1, 1958, 1952

Author : Smol'yaninova N. A., Vologdina F. G.

Inst : Not given

Title : Double Petaled Black Currant and Measures of  
its Control

Orig Pub : Sad i ogorod, 1957, No 4, 63-64

Abstract : No abstract

Card 1/1

*Smol'yaninova N. K.*

USSR/Diseases of Plants. Diseases of Cultivated Plants 0-3

bs Jour : Ref Zhur-Biol., No 1, 1958, 1953

Author : Smol'yaninova N. K.

Inst : Not given

Title : Virus Disease of the Raspberry

Orig Pub : Sad i ogorod, 1957, No 6, 75-76

Abstract : No abstract

Card 1/1

SMOL'YANINOVA, H.K. (Moskva)

Destroy currant mites. Zashch.rast.ot vred. i bol. 3 no.2:56

Mr-Ap '58.

(MIRA 11:4)

(Mites) (Currants--Diseases and pests)

SMOL'YANINOVA, Nataliya Konstantinovna; SOKOLOVA, N.A., red.;  
LAZAREVA, L.V., tekhn.red.

[Berry varieties for private orchards] Sorta iagodnykh  
kul'tur dlia priusadebnykh sadov. Moskva, Izd-vo Mosk.univ.,  
1960. 221 p. (MIRA 13:12)  
(Berries--Varieties)